## Cover Letter

Sugargreen E's usage as a PVC plasticizer, will provide a rare combination of benefits to its users, the public, and the environment, which include creating more effective products while enhancing the recyclability of waste polyethylene terphthalate ( especially post consumer derived product), and gainfully substituting industrial waste butoxypolyethylene glycol heavies from the production of latex coalescents, surfactants, and solvents, at as raw materials in 30 and 65 weight percent proportions respectively, in place of environmentally suspect, petroleum derived, environmentally suspect, phthalates with a net performance benefit, at reduced costs.



IIS ENVI	BONMEN.	TAL PROTECTION	ACENC	·v	Form Ap		2070-0012 and 2070-0038
U.S. ENVIRONMENTAL PROTECTION AGENCY						Commence of the Commence of th	ENCY USE ONLY
		PREM	IANUF. NOTIC	ACTUR	E.	Date of receipt:	
F	EPA	505 115111 0					
		FOR NEW Courier:	HEMICA				
When completed, send this	Office of Poll Document Co	ution Prevention and Toxics ontrol Office (7407M) I Constitution Ave NW	Docume	Pollution Pront Control O	by US Mail: revention and Toxics ffice (7407M) ylvania Ave NW	Submiss	sion Report Number
form to:		N, D.C. 20460 bers: 202-564-8930/8940		GTON, D.C.		SUGA111017	372211300
Total Numbe	r of Pages	User	Fee Payı	ment ID N	lumber	^	TS Number
42		ISP2011-02				IST002	
<ul> <li>Before you co</li> </ul>	emplete this form	, you should read the "Instructions	Manual for	known to or Premanufact	. INSTRUCTIONS reasonably ascertainable later Notification" (the Instru	by you. Make reasonable octions Manual is available	estimates if you do not have actual data. from the Toxic Substances Control Act
If a user fee h	mation Service b nas been remitted	y calling 202-554-1404, or faxing 2	02-554-560 ndicate in th	3). le boxes abo	ve the TS-user fee identific	ation number you have ge	enerated. Remember, your user fee ID number
Part I – GENI	ERAL INFOR	RMATION		TEST D	ATA AND OTHER D	PATA	
Name of the neidentity as confisubmit chemica will not be compreceives this inf should reference Section 5 Notice submit an origin	w chemical sui dential. You m Il identity informablete and the re formation. A let e your TS user e submissions all notice include	y correct Chemical Abstracts ( bstance, even if you claim the lay authorize another person to mation for you, but your submise- eview will not begin until EPA tter in support of your submises of fee identification number. For (paper or electronic) you must ding all test data; if you claime original sanitized copy must a	sion sion or all ot ed any	description related to commerce be submit not summ should cle chemical of test dat	n of all other data know the health and environ e, use, or disposal of th ted for data in the oper aries of data, must be: early identify whether te composition of the teste	In to or reasonably assumental effects on the renew chemical substantial substantial substantial substantial substantial substantial should be should be submitted a	sion or control and to provide a certainable by you, if these data are manufacture, processing, distribution in ance. Standard literature citations may omplete test data (written in English), at appear in the open literature. You ance or on an analog. Also, the characterized. Following are examples according to the requirements of FR Part 720).
Part II - HUM RELEASE	AN EXPOS	URE AND ENVIRONMEN	TAL		Test Data (C	heck Below any incl	7
be described in	Part II, section	re, processing, or use operations A and B of this notice, repre			Environmental fate da	ata X	Other Data
the sections as		UMENTO		X	Health effects data	L	Risk Assessments
For paper subm	issions, attach	n additional sheets if there is nestion fully. Label each contin			Environmental effects		Structure/activity relationships and chemical properties worksheet is
sheet with the c	orresponding s	section heading. In Part III, list other data and any optional		X	located on the last		and chemical properties worksheet is
information inclu					Test data not in the p	ossession or control o	f the submitter
OPTIONAL IN You may include		Nion that you want EPA to cons	sider in		TYP	E OF NOTICE (Check	Only One)
evaluating the n	ew substance.	On page 11 of this form, spa ribe pollution prevention and		X	PMN (Premanufactur	e Notice)	
recycling inform	ation you may	have regarding the new subs hroughout this form for you to			SNUN (Significant Ne	ew Use Notice)	
make in this sec	ction, such as u	bound to certain statements y use, production volume, protect	ctive		TMEA (Test Marketin	g Exemption Applicati	on)
accompany the	development of	to reduce delays that routine of consent orders or Significan	nt New		LVE (Low Volume Ex	emption) @ 40 CFR 7	23.50(c)(1)
prohibit the sub-	mitter from late	ng" box in a PMN does not by or deviating from the information orted in the form; however, in the	on		LOREX (Low Release	e/Low Exposure Exem	ption) @ 40 CFR 723.50(c)(2)
case of exempti	on applications	s (such as TMEA, LVE, LORE such notifications is binding of	(X)		LVE Modification		
submitter when	the Agency ap	proves the exemption applica ume "binding" box is chosen i	tion,		LOREX Modification		
LVE.	production vol	and binding box is dilosen i			Mock Submission		
CONFIDENTI			T-	$\Box$	Mark (X) if pending	Letter of Support	
assert a claim o	n the form, ma	n in this notice as confidential.  ork (X) the confidential box new	rt to	entra la cons	IS THIS A CONSOLIE		
an attachment, o	circle or bracke	as confidential. To assert a cla et the information you claim as nation in the notices as confiden	5	10 Miles		No. 10 Control of the	ommunication # required, enter # on
you must also p	rovide a sanitiz	zed version of the notice, (inclustructions on claiming informations)	uding	_	p. 3).		
as confidential,			addii		Mark (X) if any inform	ation in this notice is o	laimed as confidential.



The public reporting and recordkeeping burden for this collection of information is estimated to average 93 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed EPA Form 7710-25 to this address.

**CERTIFICATION** -- A printed copy of this signature page, with original signature, must be submitted with CD or paper submission.

I certify that to the best of my knowledge and belief:

- The company named in Part I, section A, subsection 1a of this notice form intends to manufacture, import or process for a commercial purpose, other than in small quantities solely for research and development, the substance identified in Part I, Section B.
- 2. All information provided in this notice is complete and truthful as of the date of submission.
- 3. I am submitting with this notice all test data in my possession or control and a description of all other data known to or reasonably ascertainable by me as required by §720.50 of the Premanufacture Notification Rule.

### **Additional Certification Statements:**

If you are certification	submitting a PMN, Intermediate PMN, Consolidated PMN, or on statement that applies:	SNUN, check the following user	fee		
	The Company named in Part I, Section A has remitted the fee of \$2500 spe	cified in 40 CFR 700.45(b), or			
	The Company named in Part I, Section A has remitted the fee of \$1000 for accordance with 40 CFR 700.45(b), or	an Intermediate PMN (defined @ 40 CFR	700.43) in		
X	The Company named in Part I Section A is a small business concern under accordance with 40 CFR 700.45(b).	40 CFR 700.43 and has remitted a fee or	f \$100 in		
If you are submitting a Low Volume Exemption (LVE) application in accordance with 40 CFR 723.50(c)(1) or a Low Release and Low Exposure Exemption (LoRex) application in accordance with 40 CFR 723.50(c)(2), check the following certification statements:					
	The manufacturer submitting this notice intends to manufacture or import the new chemical substance for commercial purposes, other than in small quantities solely for research and development, under the terms of 40 CFR 723.50.				
	The manufacturer is familiar with the terms of this section and will comply w	vith those terms; and			
	The new chemical substance for which the notice is submitted meets all applicable exemption conditions.				
	If this application is for an LVE in accordance with 40 CFR 723.50(c)(1), the the exempted substance for commercial purposes within 1 year of the date	e manufacturer intends to commence mar of the expiration of the 30 day review per	nufacture of iod.		
anticipate	racy of the statements you make in this notice should reflect you d facts regarding the chemical substance described herein. Ar sentation is subject to criminal penalty pursuant to 18 USC 100	ny knowing and willful	Confidential		
Signature an Authorized ( Signature R	Official (Original	Date			



		Part	I GEN	ERAL I	NFORMATION		行有数字形写法的	5.000
Sect	ion A - SUBMITTER II		AT - 191 E					7.
1a.	Person Submitt	lark (X) the "Confiden	S )	xt to any	subsection you clai	m as co	onfidential	Confidential
Name	of Authorized Official	(first) Nathan	<u>.,                                    </u>		(last) Sofer			Comidential
Positi	on	President			Solei			-
Comp	pany	Innovative Science	e Technolo	av				1 _
Mailin	g Address (number & street)			93				
City	Hillside		State	NJ	Postal Code	072	205	-
email		<u> </u>		110			.03	1
b.	Agent (if Applica	able)						Confidential
Name	of Authorized Official	(first)			(last)			
Positi	on							1
Comp	any							1 _
Mailin	g Address (number & street)							
City			State		Postal Code	T		1
e-mail				Telepho	one e area code)	$\top$		7
C.	Joint Submitter	(if applicable)	***	(meidae	e area code)			Confidential
If you	are submitting this notice as	part of a joint submis	sion, mark	(X)	333333000			
Name	of Authorized Official	(first)			(last)			1
Positio	on							
Comp	any							1 🗖
Mailin	g Address (number & street)							1 📙
City			State		Postal Code			
e-mail				Telep (includ	hone de area code)			
2.	Technical Conta	ct (in U.S.)		l - 22	***************************************			Confidential
Name	of Authorized Official	(first) Gerald			(last) Sugerr	nan		
Positio	on	Technology Direct	or					1
Comp	any	Innovative Science	e Technolog	ау				1
Mailing	g Address (number & street)	1227 Central Ave.				-1111		1 📙
City	Hillside		State	NJ	Postal Code	072	05	
e-mail	namre200@yahoo.co	m		Telepho	one e area code)	201	-316-4791	1
	If you have had a prenotice		concerning	-	area code)		Mark (X) if none	Confidential
3.	this notice and EPA assign enter the number.	ed a PC Number to the	ne notice,				X	ПП
	If you previously submitted	an exemption applica	ation for the				Mark (X) if none	Confidential
4.	chemical substance covere exemption number assigne submitted a PMN for this su	d by EPA. If you prevubstance enter the PM	iously				X	
	assigned by EPA (i.e. without If you have submitted a not		t to				Mark (X) if none	Confidential
5.	manufacture or import for the by this notice, enter the not	ne chemical substanc	e covered				X	
6.		MITTER STATE OF STATE	Type o	of Notic	e – Mark (X)	dip.or		
	Manufacture Only	K Im	port Only					
1.	1 2	_   2.	nding Option	n	$\overline{\Box}$	3.	Both	



PMN2011P4

Part I – GENE	RAL INFORM	ATION Co	ntinued			
Section B – CHEMICAL IDENTITY INFORMATION: Y	ou must provide a ased on current C	a currently corre	ct Chemical Abstr clature rules and c	acts (CA) name conventions.	e of the sub	ostance
Mark (X) the "Confidenti	al" box next to an	y item you claim	n as confidential			
Complete either item 1 (Class 1 or 2 substances) or 2 (Polys						
If another person will submit chemical identity information fo the name, company, and address of that person in a continu	uation sheet.	em 1 or 2), mark	k (X) the box at the	e right. Identify	′ 🔲	
Class 1 or 2 chemical substances (for definitions of class 2 substances, see the Instructions Manual)	s 1 and class	Class 1		Class 2		СВІ
a. Class of substance - Mark (X)						
b. Chemical name (Currently correct Chemical Abstracts (Casubstances, For Class 1 substances a CA Index Name referred Name must be provided, which ever is appropriate to the control of the control	must be provided.	For Class 2 sub	stances either a (	CA Index Name	e or CA	
CAS Registry Number (if a number already exists for the	substance)					
c. Please identify which method you used to develop or obt		chemical identity	v information reno	ated in this noti	ice: (check	one)
Method 1 (CAS Inventory Expert Service - a copy of the Identification report obtained from the CAS Inventory Expert Services must be submitted as an attachment to this not	pert 🗍	IES Order Number	y imormation repo	Method 2 (Other Source)	Ce. (Crieck	one).
Enter Attachment filename for Part I, Section B, 1. c.						
d. Molecular formula						Ħ
For a class 1 substance, provide a complete and correct representative or partial chemical structure diagram, as of	chemical structur	re diagram. For	a class 2 substan	ce, provide a co	orrect	
professervations.						
Enter Attachment filename for Part I. Section P. 1. o.				The second secon		

# PMN Page 4a

For a class 2 substance - (1) List the immediate precursor substances the nature of the reaction or process. (3) Indicate the range of compositions of the reaction of process.	with their respective CAS Registry Numbers. (2) Describe tion and the typical composition (where appropriate).	Confidential
e. (1) List the immediate precursor substance names with their respect	tive CAS Registry Numbers.	
9		
Enter Attachment filename for Part I, Section B, 1. e. (1)		
e. (2) Describe the nature of the reaction or process.		
Enter Attachment filename for Part I, Section B, 1. e. (2)		П
e. (3) Indicate the range of composition and the typical composition (where the composition is the composition is the composition of the composition of the composition is the composition of the compositi	here appropriate).	$\overline{\Box}$
The state of the s		



F	Part I GENERAL	INFORM		Con	tinued				
Section B CHEMICAL IDE	NTITY INFORMATION	Contin							
2. Polymers (For a definition of polyr	mer, see the Instructions Man	ual.)	141 6 41					Confide	ntial
Indicate the number-average we Indicate maximum weight percen below 500 and below 1,000 absorptions	it of low molecular weight spe	cies (not incli	uding residual	l monor	you intend to ners, reactan	manufactu ts, or solve	ire. ents)		
	Describe the methods of mea		the basis for	your es	timates:				
	her (Specify Below)		-						
Specify Other:									
(i) lowest number average molecula weight:		t % below 500 eight:	) molecular	(iii	i) maximum w	eight % be weight		00 molecu	ılar
544	3			100	)				
Enter Attachment filename for b. You must make separate confiden	3/2 2/2								
<ul> <li>(X) the "Confidential" box next to any</li> <li>(1) - Provide the specific chemical manufacture of the polymer.</li> <li>(2) - Mark (X) this column if entry</li> <li>(3) - Indicate the typical weight properties of the polymer description on the polymer description of the polymer description on the polymer description of the polymer description on the polymer description of the polymer description of the polymer description of the polymer description of the polymer description on the polymer de</li></ul>	in column (1) is confidential. ercent of each monomer or of who menu if you want a monomer or DSCA Chemical Substances in columns (3) and (4) are at percent of each monomer of purposes.	umber (if a nu ther reactant ner or other re e Inventory. confidential.	in the polymer actant used a	r. at two w	eight percent	or less to	be liste	ed as part o	of
The second secon	er reactant specific chemical r	name		ODI		Include in		Max	
	(1)	INTERNAL S		(2)	composition (3)	identity (4)	CBI ( <b>5</b> )	residual (6)	CBI ( <b>7</b> )
polyethylene glycol 1,4-benze					30			0.1	
CAS Registry Number (									
mixed butoxypolyethylene gly	20000000				65			0.5	
CAS Registry Number (	1)   161907-77-3								
isotridecanol					5			0.1	
CAS Registry Number (	1) 27458-92-0	Table of Marie							
CAS Registry Number (	1)								
OAS Registry Number (	71								
			æ L.		artima) e passoga				
CAS Registry Number (	1)								
Mark (X) this box if the data continues	s on the next page.			(Constitution of the Constitution of the Const			×		

PMN2011P5A

PMN Page 5a

NON-CBI SUBMISSION

c. Please identify which method	d you used to develop or obtain	the specified o	chemical identity inform	ation reported in this notice	CPI
(check one).		·			CBI
Method 1 (CAS Inventor - a copy of the identification		IES Order	166342-1	Mathad 2	
from CAS Inventory Expert	Service must be	Number		Method 2	
submitted as an attachmen				(other source)	
Enter Attachment filename for			CAS# IST002 and IST	1003 pdf	
d. The currently correct Chemi	Name and the second of the sec	e nolymer that i	e consistent with TSCA	Inventory listings for similar	
polymers.					
waste plastics poly(ethyle	ene terephthalate0 depol	ymerized wi	th byproducts from	the production of 2-butoxy	ethanol
and isotridecanol CAS #	1333522-36-3				
ts ts					
-					
CAS Registry Number (if a	a number already exists for the	substance)			Shi Shi ya ka
e. Provide a correct represent			complete on one he kn	our if and our be acceptable	in the second
ascertained.	anve or partial chemical structu	ire ulayram, as	complete as can be kn	own, if one can be reasonably	
See Attachment 001 (Sugargre	en E structures v2 not)				
	on E directores (E.ppt)				
F-2					
1					
					*
20					
-					
					2
Enter Attachment filer	name for Part I, Section B, 2. e.	Sugarore	een E structures v2 nnt		



Part I GENERAL INFO	<b>DRMATION Continued</b>
---------------------	---------------------------

Section B CHEMICAL IDENTITY INFORMATION Continued	Johnnaca		
3. Impurities			
<ul> <li>(a) - Identify each impurity that may be reasonably anticipated to be present in the che purpose. Provide the CAS Registry Number if available. If there are unidentified in (b) - Estimate the maximum weight % of each impurity. If there are unidentified impurity.</li> </ul>	npurities enter "unidentified"	19	rcial
Impurity (a)	CAS Registry Number (a)	Maximum Percent % (b)	Confi- dential
diisotridecyl 1,4-benzenedicarboxylate	6422-86-2	1	
butoxypolyethylene, isotridecyl 1,4-benzenedicarboxylate		10	
Dibutoxypolyethylene glycol ester of ethylene 1,4-benzenedicarboxylate		2	
ethylene (monobutoxypolyethylene 1,4-benzene dicarboxylate, monoiisotridecyl 1,4-benzenedicarboxylate		0.2	
Mark (X) this box if the data continues on the next page.			
Enter Attachment filename for Part I, Section B, 3.			
4. Synonyms - Enter any chemical synonyms for the new chemical identified in subsection 1 o 1,4-benzenedicarboxylate = terphthalate	r 2.		
T, Testize redicated system and the			
Enter Attachment filename for Part I, Section B, 4.		- A	
5. Trade identification - List trade names for the new chemical substance identified in subsection Sugargreen E	on 1 or 2.		
		9	Ш
Enter Attachment filename for Part I, Section B, 5.			
Generic chemical name - If you claim chemical identify as confidential, you must provide a generic chemical identity of the new chemical substance to the mass Substance Inventory, 1985 Edition, Appendix B for guidance on demixed terphthalates	ximum extent possible. Refer	nce that reveals t r to the TSCA Ch	the emical
Enter Attachment filename for Part I, Section B, 6.			
<ol> <li>Byproducts - Describe any byproducts resulting from the manufacture, processing, use, or describe any byproducts resulting from the manufacture, processing, use, or describe any byproducts.</li> </ol>	lisposal of the new chemical	substance. Provi	ide the
Byproduct (1)	CAS Reg	gistry Number (2)	Confi- dential
ethylene glycol	10	07-21-1	
Mark (X) this box if the data continues on the next page.			Market 1



Part I G	ENEF	RAL IN	FORM	ATIO	N C	ontin	ued					
Section C PRODUCTION, IMPORT, AND							_					
The information on this page refers to consolidated				1			3	4		5	6	
Mark (X) the "Cor  1. Production volume Estimate the maximum production and consecutive 12-month period durin For a Low Volume Exemption application, if you of volume and mark (x) in the binding box. If granted	duction of the fire noose to	volume du st three ye have vou	ring the fir ars of pro r notice re	st 12 mo duction. viewed	onths of p	roductio	n. Also	estimate	w chen	nical cul	hetance	hacie
Maximum first 12-month production (kg/yr) (100% new chemical substance basis)	,	Maximun	n 12-mont ew chemic	h produ			C	onfiden	tial		ding Opt Mark (X)	
10000000	4000	00000										
Enter Attachment filename for Part I, Section C	, 1.	Sug	argreen E	product	ion proce	ss Diag	ram V10	).ppt		CBI		
<ul> <li>2. Use Information You must make separate confidentiality claims for the description of the category of use, the percent of production volume devoted to each category, the formulation of the new substance, and other use information. Mark (X) the "Confidential" Box next to any item you claim as confidential.</li> <li>a. (1)Describe each intended category of use of the new chemical substance by function and application.</li> <li>(2)Mark (X) this column if entry column (1) is confidential business information (CBI).</li> <li>(3)Indicate your willingness to have the information provided in column (1) binding.</li> <li>(4)Estimate the percent of total production for the first three years devoted to each category of use.</li> <li>(5)Mark (X) this column if entry in column (4) is confidential business information (CBI).</li> <li>(6)Estimate the percent of the new substance as formulated in mixtures, suspensions, emulsions, or gels as manufactured for commercial purposes at sites under your control associated with each category of use.</li> <li>(7)Mark (X) this column if entry in column (6) is confidential business information (CBI).</li> <li>(8)Indicate % of product volume expected for the listed "use" sectors. Mark more than one box if appropriate. Mark (X) to indicate your willingness to have the use type provided in (8) binding.</li> <li>(9)Mark (X) this column if entry(ies) in column (8) is (are) confidential business information (CBI).</li> </ul>												
Category of use (1)	DV of substance and state of the state of th											
(by function and application i.e. a dispersive dye for finishing polyester fibers)	a dispersive dye for CBI Option uction CBI Form- CBI (8)				C	Dia dia a	СВІ					
initialing polyester liberay	(2)	(3)	(4)	(5)	(6)	(7)	limited	Con- sumer*	Industrial	Com- mercial	Binding Option	(9)
Plasticizer for polyvinyl chloride resin 100 40 0 100 0 X												
* If you have identified a "consumer" use, please prov consumer products. In addition include estimates of the the chemical reactions by which this substance loses	ne conc	entration o	f the new	chemica	al substan	tion of t	he use( pected	l s) of this in cons	chemic umer pr	al subs	tance in and des	ribe
Mark (X) this box if the data continues on the next page.											$\Box$	
b. Generic use description any category of use description in subsection 2a as confidential, enter a generic description of that category.  Read the Instruction Manual for examples of generic use descriptions.  product is intended for use as a phthalate ester replacement for use in in permanent PVC resin flexibilization												
Enter Attachment filename for Part I, Section	C, 2. b.								СВ	1		$\sqcap$
<ol> <li>Hazard Information Include in the notice a copy of data sheet, or other information which will be provided regarding protective equipment or practices for the sa hazard information you include.</li> </ol>	Enter Attachment filename for Part I, Section C, 2. b.  3. Hazard Information Include in the notice a copy of reasonable facsimile of any hazard warning statement, label, material safety data sheet, or other information which will be provided to any person who is reasonably likely to be exposed to this substance regarding protective equipment or practices for the safe handing, transport, use, or disposal of the new substance. List in part III Mark (X) hazard information you include.											
Mark (X) this box if you attach hazard information	tion.						X			19	X	



N2011P8 PMN Page 8

Part II HUMAN EXPOSURE AND ENVIRONMENTAL RELEASE						
		ONTROLLED BY THE SUB	MITTED	Mark (X) th	ne "Confidential" be ou claim as confide	ox next to ential
The information on pages 8 an	d 8a refer to	consolidated chemical number(s	s):	]3 [	4 5	6
requirements if there are furth instructions manual	have to cor	nufacture, processing, or use op implete this section for operation al processing or use operations	s outside the U.S.: howeve	r vou ma	v still have renor	tina
Operation description     a. Identity Enter the identity -	lentity of the	e site at which the operation will	occur.			Confi- dential
Name	Ronald Ma	rk Associates	3			
Site address (number and street)	1227 Centr	al Ave.			18	
City	Hillside		County			
State	NJ		ZIP code	07205		
sites on a continuation sheet, operations, include all the info	and if any ormation rec	than one site, enter the number of the sites have significantly dif quested in this section for those	ferent production rates or		2	
Mark (X) this box if the	data continu	es on the next page.		X		
b. Type Mark (X) Man	ufacturing	Processing	Use	[	X	
c. Amount and Duration	Complete					Confi- dential
1. Batch		Maximum kg/batch (100% new chemical substance)	Hours/batch	Batches/year		
		1000	10 50			
2. Continuous		Maximum kg/day (100% new chemical substance)	Hours/day		Days/year	
d. Process description			Mark (X) to indicate your will have your process description		X	
pails, 55 gallon drum (2) Provide the identity, materials and feedst chemicals (note freq (3) Identify by number the	i, rail car, tan the approxim ocks (includi uency if not u ne points of n	steps and chemical conversions. In ik truck, etc.). hate weight (by kg/day or kg/batch of hig reactants, solvents, catalysts, etc used daily or per batch.). helease, including small or intermitter he step, assign a second release nu	n a 100% new chemical substa c.), and of all products, recycle nt releases, to the environment	ance basis streams, a	), and entry point on and wastes. Include	of all starting e cleaning
extruded and calandered, (option	ally laminate	ant(s) and stabiliizer(s) are mixedi n d) and wound on a mandrel to proc osure. Trim and off spec. product ar	luce single layer or multiply film	nixer to pro	oduce a dry produc leeting. Personnel	et, which is exposure
arconnels is any Nation. Loss	71 P. M. C. W. C.			i wasan		5 112001.c.
			¥			

<b>PMN</b>	Page	8a
------------	------	----

NON-CBI SUBMISSION

Diagram of the major unit operation steps.				
S s s s s s s s s s s s s s s s s s s s				
See Attachment 002 (Sugargreen E pilot process Diagram.ppt)				
Diagram.ppt)				
			Ì	
2				
Enter Attachment filename for Part II, Section A, 1. d. Sugargreen E pilot process Diagram.ppt				



PMN2011P8-1

ID		Field	Part II, Section	A, 1.a. (Add	itional Sites)	
Operation description     a. Identity Enter	the identity of the	site at wh	nich the operation	will occur		Confi- dential
Name	Ronald Mark Asso		non the operation (	wiii occur.		dential
Site address (number and street)	1227 Central Ave					
City	Hillside			County		
State	NJ			ZIP code	07205	
Name		11.72				
Site address (number and street)						П
City				County		
State				ZIP code		
Name						
Site address (number and street)						
City				County		
State				ZIP code		
Name						
Site address (number and street)						
City				County		100000000000000000000000000000000000000
State				ZIP code	1	
Name						
Site address (number and street)						
City				County		
State				ZIP code		
Name						
Site address (number and street)						
City				County		
State				ZIP code		
Name			100 M			
Site address (number and street)			70.00 K			
City			and the same of the same	County		¥9
State				ZIP code		



i mit i age o						
Part II HUMAN EXPOSURE AND ENVIRONMI	ENTAL F	RELEASI	E Cont	inued		
Section A INDUSTRIAL SITES CONTROLLED BY THE SUBMIT	TER C	ontinued	1			
The information on pages 9 and 9a refer to consolidated chemical number(s):	1	2	3	4	5	6

- 2. Occupational Exposure -- You must make separate confidentiality claims for the description of worker activity, physical form of the new chemical substance, number of workers exposed, and duration of activity. Mark (X) the "Confidential" box next to any item you claim as confidential.
  - (1) Describe the activities (i.e. bag dumping, tote filling, unloading drums, sampling, cleaning, etc.) in which workers may be exposed to the
  - (2) -- Mark (X) this column if entry in column (1) is confidential business information (CBI).
  - (3) -- Describe any protective equipment and engineering controls used to protect workers.

  - (4) and (6) -- Indicate your willingness to have the information provided in column (3) or (5) binding.
     (5) -- Indicate the physical form(s) of the new chemical substance (e.g., solid: crystal, granule, powder, or dust) and % new chemical substance (if part of a mixture) at the time of exposure.
  - (7) Mark (X) this column if entries in columns (3) and (5) are confidential business information (CBI).
  - (8) -- Estimate the maximum number of workers involved in each activity for all sites combined.
  - (9) -- Mark (X) this column if entry in column (8) is confidential business information (CBI).
  - (10) and (11) -- Estimate the maximum duration of the activity for any worker in hours per day and days per year.

Worker activity (i.e., bag dumping, filling drums)	СВІ	Protective Equipment/	Binding Option	Physical form(s) & % new	Binding Option	СВІ		СВІ	Maximum	Duration	СВ
(1)	(2)	Engineering Controls (3)	Mark (X) (4)	substance (5)	Mark (X) (6)	(7)	Exposed (8)	(9)	Hrs/Day (10)	Days/Yr (11)	(12
Production		Gloves, goggles, protective clothing dikes		liquid			3		12	20	
formulation		gloves, goggles		Liquid, solid <40%			12		6	30	
fabrication		gloves. goggles, automated feeders, extruders		solids , <40%			12		6	30	
ē <sub>to</sub>		φ									
		x - '					The prince of the		191912		
Mark (X) this box	if the c	data continues on the next page									



PMN2011P9A

PMN Page 9a

- 3. Environmental Release and Disposal -- You must make separate confidentiality claims for the release number and the amount of the new chemical substance released and other release and disposal information. Mark (X) the "Confidential" box next to each item you claim as confidential.
  - (1) -- Enter the number of each release point identified in the process description, part II, section A, subsection 1d(3).
  - (2) Estimate the amount of the new substance released (a) directly to the environment or (b) into control technology (in kg/day or kg/batch).
  - (3) Mark (X) this column if entries in columns (1) and (2) are confidential business information (CBI).
  - (4) -- Identify the media (stack air, fugitive air (optional-see Instruction Manual), surface water, on-site or off-site land or incineration, POTW, or other (specify)) to which the new substance will be released from that release point.
  - (5) a. Describe control technology, if any, and control efficiency that will be used to limit the release of the new substance to the environment. For releases disposed of on land, characterize the disposal method and state whether it is approved for disposal of RCRA hazardous waste. On a continuation sheet, for each site describe any additional disposal methods that will be used and whether the waste is subject to secondary or tertiary on-site treatment. b. Estimate the amount released to the environment after control technology (in kg/day).
  - (6) Mark (X) this column if entries in columns (4) and (5) are confidential business information (CBI).
  - (7) -- Identify the destination(s) of releases to water. Please supply NPDES (National Pollutant Discharge Elimination System) numbers for direct discharges or NPDES numbers of the POTW (Publicly Owned Treatment Works). Mark (X) if the POTW name or NPDES # is confidential business information (CBI).

Release Number  Amount of New Substance Released CBI  Medium of release e.g. Stack air					Cor	trol technology a	and effici attach eff	ency (you r ficiency dat	nay wish to a)	СВІ
(1)	(2a)	(2b)	(3)	(4)		(5a)		Binding Mark (X)	(5b)	(6)
<300g/b atch	<50g/ batch	< 200g/batch		Off-site Incineration	dikes			x	<20g/batch	
		_								
		£.								
				on the next page.				NPDES	#	CBI
	POTWpro		Of Toloac	ses to water.				NFDES	<del>#</del>	
	Navigable v - provide na	vaterway- ame(s)								
	OtherSpec	cify				e i iiba	- Search	w.1		
E	Enter Attachm	ent filename f	or Part II, S	Section A.						

PMN2011P10

## PMN Page 10

NON-CBI SUBMISSION

I will I age I											
Part II HUMAN EXPOSURE AND ENVIRONM Section B INDUSTRIAL SITES CONTROLLED BY OTHERS	/IENT	AL R	ELE	ASE -	– Co	ntinue	ed				
The information on pages 10 and 10a refer to consolidated chemical number(s):		1		2	Пз		4	5	Г	6	
Complete section B for typical processing or use operations involving the new chemical substance at sites you do not control. Importers do not have to complete this section for operations outside the U.S.; however, you must report any processing or use activities after import. See the Instructions Manual. Complete a separate section B for each type of processing, or use operation involving the new chemical substance. If the same operation is performed at more than one site describe the typical operation common to these sites. Identify additional sites on a continuation sheet.											
<ol> <li>Operation Description To claim information in this section as confiden</li> </ol>	tial, br	acket (	e.g. {}	) the	specif	ic inforr	mation t	hat you	clain	n as	
confidential.  (1) Diagram the major unit operation steps and chemical conversions, include								8			
pails, 55 gallon drums, rail cars, tank trucks, etc). On the diagram, identification of the many continuous cars, tank trucks, etc). On the diagram, identification of the many continuous cars, tank trucks, etc). On the diagram, identification of the many continuous cars, include the identity, the chemical substance basis), and entry point of all feedstocks (including restreams, and wastes. Include cleaning chemicals (note frequency if not under the interview of the interview of the new chemical substance.  (3) Either in the diagram or in the text field 1(b) below, identify by number the environment of the new chemical substance.  (4) Please enter the # of sites (remember to identify the locations of these sites).	y by let ne appr actants sed da e points	tter and roximates, solver illy or pe s of rele	briefly weights and er batch ase, in	y desc iht (by d cata ch). ncludir	ribe e kg/da lysts, o ng sma	ach wor y or kg/l etc) and	ker active batch, of all proc	vity. n an 100 lucts, re	0% ne cycle	ew	n
	Nu	mber o	f Site	s	20		Con	fidential			
See Attachment 003 (Sugargreen E production process Diagram V10.ppt)				1							
1(b). (Optional) This space is for a text description to clarify the diagram above.							Con	fidential		П	
The commercial production, formulation and fabrication process is expected to be verified and increased remotely controlled enclosed and automated materials handling. Fabri formulations, may include, milling, extrusion callandering, molding or stamping, and // Sugargreen E, is anticipated to occur at teknor Apex's Brownsville AL and or Piedmo	cation or com	technico bination	ques i is thei	used in reof. A	n conju t pres	unction ent com	orocess with PM	except N conta	ining		
*											
								F - 785			
Enter Attachment filename for Part II, Section B on the bottom of page 10a.	arareei	n E proc	duction	n proc	ess Di	iagram '	V10.ppt				



ID P10SB1(a)(4)1	Field	Part II, Section B, 1(a)(4). Operation Site Locations	
PMN production: Tecknor Apex, Brown PMN production: Piedmont Chemical,		production	
Formulation and/ or fabrication: many	•	, cadatasi	



PMN2011P10A

## PMN Page 10a

## 2. Worker Exposure/Environmental Release

- (1) From the diagram above, provide the letter for each worker activity. Complete 2-8 for each worker activity described.
- (2) Estimate the number of workers exposed for all sites combined.
- (4) Estimate the typical duration of exposure per worker in (a) hours per day and (b) days per year.
- (6) Describe physical form of exposure and % new chemical substance (if in mixture), and any protective equipment and engineering controls, if any, used to protect workers.
- (7) -- Estimate the percent of the new substance as formulated when packaged or used as a final product.
- (9) -- From the process diagram above, enter the number of each release point. Complete 9-13 for each release point identified.
- (10) Estimate the amount of the new substance released (a) directly to the environment or (b) into control technology to the environment (in kg/day or kg/batch).
- (12) Describe media of release i.e. stack air, fugitive air (optional-see Instructions Manual), surface water, on-site or off-site land or incineration, POTW, or other (specify) and control technology, if any, that will be used to limit the release of the new substance to the environment.
- (14) -- Identify byproducts which may result from the operation.
  - (3), (5), (8), (11), (13) and (15) -- Mark (X) this column if any of the proceeding entries are confidential business information (CBI).

Letter of Activity	# of Workers Exposed	СВІ		tion of osure	СВІ	CBI Protective Equip./Engineering Controls/Physica Form		% new substance	% in Formulation	СВІ		
(1)	(2)	(3)	(4a)	(4b)	(5)		(6)	(6)	(7)	(8)		
CP commer	3		12	100		See cont	tinuation page. id: <p10asb2(6)c1r1></p10asb2(6)c1r1>	90	90			
F formulat	100		6	50		See cont	tinuation page. id: <p10asb2(6)c1r2></p10asb2(6)c1r2>	90	40			
Fabricat ion	200		6	100		See cont	tinuation page. id: <p10asb2(6)c1r3></p10asb2(6)c1r3>	40	40			
										-		
Release Number	Amoun	t of New	Substar	nce Releas	sed CBI Media of Release & Control Technology							
(9)	(1	0a)		(10b)		(11)	(12)					
2	< 10 kg	/ batch		< 50 kg/ ba	atch		land Secure landfill					
3	2 kg	/day		10 kg/da	у		Land secure landfill-incinneration					
4	20 kg/d	ay/ site		50 kg/day/	site		Land recycle, secure landfill, incinneration					
				-								
ī	Mark (X) this	box if th	e data co	ntinues or	the ne	xt page.						
(14) Bypr	oducts:	roduction	n- ethyler	e glycol,	ormula	tion andfal	brication- none	UCases I	(15) CBI			
- 1	Enter Attach					-						



ID P10ASB2(6)C1R1	Field Part II, Section B, 2.(6) Protective Equip./Eng. Controls, etc., Row 1	
Chemicall resistant clothing, goggles, Fully automated enclosed material transfer, and s	storage facilities, remote reactor control	
	e e	



Chemically protective clothing, gloves, goggles drums, tanks enclosed feed lines liquid	Chemically protective clothing, gloves, goggles drums, tanks enclosed feed lines liquid	ID P10ASB2(6)C1R2	Field Part II, Section B, 2.(6) Protective Equip./Eng. Controls, etc., Row 2	
		drums, tanks enclosed feed lines		
		i e		
				8
9		а		



ID	P10ASB2(6)C1R3	Field	Part II, Section B, 2.(6) Protective Equip./Eng. Controls, etc., Row 3
gloves, go automated solid	ggles I enclosed material transfer		
-			

NON-CBI SUBMISSION

## OPTIONAL POLLUTION PREVENTION INFORMATION

To claim information in the following section as confidential, bracket (e.g. {}) the specific information that you claim as confidential.

In this section you may provide information not reported elsewhere in this form regarding your efforts to reduce or minimize potential risks associated with activities surrounding manufacturing, processing, use and disposal of the PMN substance. Please include new information pertinent to pollution prevention, including source reduction, recycling activities and safer processes or products available due to the new chemical substance. Source reduction includes the reduction in the amount or toxicity of chemical wastes by technological modification, process and procedure modification, product reformulation, and/or raw materials substitution. Recycling refers to the reclamation of useful chemical components from wastes that would otherwise be treated or released as air emissions or water discharges, or land disposal. Quantitative or qualitative descriptions of pollution prevention, source reduction and recycling should emphasize potential risk reduction in addition to compliance with existing regulatory requirements. The EPA is interested in the information to assess overall net reductions in toxicity or environmental releases and exposures, not the shifting of risks to other media (e.g., air to water) or nonenvironmental areas (e.g., occupational or consumer exposure). To the extent known, information about the technology being replaced will assist EPA in its relative risk determination. In addition, information on the relative cost or performance characteristics of the PMN substance to potential alternatives may be provided.

Describe the expected net benefits, such as

- (1) an overall reduction in risk to human health or the environment;
- (2) a reduction in the generation of waste materials through recycling, source reduction or other means;
- (3) a reduction in the use of hazardous starting materials, reagents, or feedstocks;
- (4) a reduction in potential toxicity, human exposure and/or environmental release; or
- (5) the extent to which the new chemical substance may be a substitute for an existing substance that poses a greater overall risk to human health or the environment.

Information provided in this section will be taken into consideration during the review of this substance. See PMN Instructions Manual and Pollution Prevention Guidance manual for guidance and examples.

. This product will provide the combined benefits of:

- 1) reducing the consumption of petroleum based chemicals,
- 2) recycling post consumer polyethylene terphthalate,
- 3) reducing the exposure of users to environmentally suspect phthalates,
- 4) provide enhanced performance as compared to alternative PVC plasticizers
- 5) if a copending PMN application for the manufacture of plasticizers from a combination of adipic acid, and 2-phenoxyethanol production wastes is approved, byproduct ethylene glycol can be converted to useful plasticizer, thereby virtually eliminating waste generation.

		- "		
Enter Attachment	tilename to	Pollution	Prevention	Page 11



#### PMN2011P12

## PMN Page 12

## Part III -- LIST OF ATTACHMENTS

Attach continuation sheets for sections of the form, test data and other data (including physical/chemical properties and structure/activity information), and optional information after this page. Clearly identify the attachment and the section of the form to which it relates, if appropriate. Number consecutively the pages of any paper attachments. In the Number of Pages column below, enter the inclusive page numbers of each attachment for paper submissions or enter the total number of pages for each attachment for electronic submissions. Electronic attachments can be identified by filename.

Mark (X) the "Confidential" box next to any attachment name or filename you claim as confidential. Read the Instructions Manual for guidance on how to claim any information in an attachment as confidential. You must include with the sanitized copy of the

notice form a sanitized version of any attachment in which you claim information as confidential.

#	Attachment Name	Attachment Filename	Number of Pages	Associated PMN Section Number	СВ
001	Sugargreen bE Structures	Sugargreen E structures v2.ppt	1	Pt.I, Sec.B, 2e.	
002	Pilot process diagram	Sugargreen E pilot process Diagram.ppt	1	Pt.2, Sec.A, 1d.	
003	Sugargreen E Production Process Diagram	Sugargreen E production process Diagram V10.ppt	1	Pt.I, Sec.C, 1.   Pt.2, Sec.B, 1a.	
004	Mutagenicity test report	Eurofin Sugargreen E Ames test report.pdf	1		
005	Sugargreen E MSDS	MSDS Sugargreen E 8=9- 2011.doc	5		
006	CAS # and name	CAS# IST002 and IST003.pdf	4	Pt.I, Sec.B, 2c.	
		9.0			2.50
		*		4	
			*	3	



PMN2011P13

PHYSICAL AND CHEMICAL PROPERTIES WORKSHEET												
The information on this	page refe	rs to ch	emical r	number(s):	1	2	3	]4 [	5	<b>6</b>		
To assist EPA's review of ph notice. Identify the property r property is claimed as confid provided. These measured p formulations should be so no you do so, as it will simplify t supplement to your submissi	measured, the lential. Give properties shoted (% PMN he review ar	ne value of the attach ould be fo I substand nd ensure	of the proper the near the near the near the near that confident that confident in the near that the near that the near that the near the	perty, the units mber (found o at (100% pure) You are not re fidential inform	s in which the p n page 12) in o chemical sub- equired to sub- nation is prope	oroperty is model column (b). The stance. Properties work the protected	neasured (as The physical perties that a ssheet; howe L You should	necessa state of re measurer EPA	ary), and the neat ured for r	whether o substance nixtures or	r not the should be	
Property Unit			Mark X if Provided	Attachment Number (b)	Value (c)			or	leasured Estimate M or E)	CBI Mark (X) (d)		
Physical state of neat substance					(solid) (liquid) (gas)			)				
Vapor Pressure @ Temperature	25		°C			10		Torr	. Ме	easured		
Density/relative density						1.06 g/cm3			3 Me	easured		
Solubility												
@ Temperature	25		°C			>50 g/L		Me	easured			
Solvent	xylene											
Solubility in Water @ Temperature	25		°C			<0.05		g/L	Мє	easured		
Melting Temperature						< -20		°C	Me	asured		
Boiling / Sublimation temperature @	10		Torr			>300		°C	Me	easured		
Spectra			1348									
Dissociation constant												
Octanol / water partition coefficient						>50:1			Me	asured		
Henry's Law constant												
Volatilization from water												
Volatilization from soil												
pH@ concentration saturated					6.8-7.0							
Flammability												
Explodability												
Adsorption / Coefficient							13/10/05/20					
Particle Size Distribution						40 C	1000					
Other - Specify												

Attachment Number 001

Attachment Name Sugargreen bE Structures

Associated PMN Section Number Pt.I, Sec.B, 2e.

Does not contain CBI

Attachment Number 002

Attachment Name Pilot process diagram

Associated PMN Section Number Pt.2, Sec.A, 1d.

Does not contain CBI

## Attachment Number 003

Attachment Name
Sugargreen E Production Process Diagram

Associated PMN Section Number Pt.I, Sec.C, 1. | Pt.2, Sec.B, 1a.

Does not contain CBI

Attachment Number 004

Attachment Name Mutagenicity test report

Associated PMN Section Number N/A

Does not contain CBI

Attachment Number 005

Attachment Name Sugargreen E MSDS

Associated PMN Section Number N/A

Does not contain CBI


## Attachment Number 006

Attachment Name
CAS # and name


Associated PMN Section Number Pt.I, Sec.B, 2c.

Does not contain CBI

Schematic SugargreenTME Pilot Production Process Diagram







Control Valve

# Di(polyethyleneglycol monobutyl ether 1,4-benzenedicarboxylate x= 2-6)



Polyethyleneglycol monobutyl ether, isotridecyl 1,4-benzenedicarboxylate x = 2-6



Ethylene, Di(polyethyleneglycol monobutyl ether 1,4-benzenedicarboxylate x = 2-6

